VERSION
2026



CATALOG

Vanity Top, Toilet & Bidet

BOSSUN

When the bathroom space becomes an extension of home taste, ceramic vanity tops, as the core element, carry the yearning for a better life. This album is the epitome of our dedication in the ceramic vanity top field and an interpretation of bathroom aesthetics. With design as the soul and craftsmanship as the foundation, we integrate the delicate texture of ceramics with practical functions to present a variety of products with different styles. We hope this album can bring you inspiration and light up your bathroom daily with exquisite ceramic vanity tops.

CONTENTS

COMPANY

About Bossun 02

Corporate Strength 04

Value & Plus 06

PRODUCTS

Vanity Top

F Collection 08

C Collection 14

E Collection 18

Mini Collection 22

1170 Collection 24

5080Q Collection 32

7008 Collection 34

1136 Collection 36

35 Collection 38

7084 Collection 40

Toilet & Bidet

Loop Collection 48

Linear Collection 50

Frame Collection 52

ABOUT BOSSUN

As a professional enterprise focusing on the Vanity Top field, we have always taken "Crafting Bathroom Aesthetics and Empowering Quality Life" as our core mission and have been deeply engaged in the industry for many years. With a profound insight into the needs of bathroom spaces and cutting-edge design concepts, we have built a full-industry-chain service system from R&D, design, production to sales. In product R&D, we gather a team of senior designers, integrate practical functions with modern aesthetics, focus on the R&D and innovation of ceramic vanity tops, and launch a variety of ceramic vanity top products that combine practicality and aesthetics. Ceramic materials are not only easy to clean and high-temperature resistant, but also can present a delicate texture to meet the needs of different home styles and usage scenarios. In process control, we adhere to the craftsman spirit of excellence. From ceramic raw material selection to every process such as forming, glazing, and firing, we implement strict quality standards to ensure that the products have both durability and aesthetics. In customized services, we can provide personalized solutions according to customers' size specifications, color preferences and functional needs to create exclusive bathroom highlights for home spaces. Adhering to the business philosophy of "Quality First, Customer Foremost", our products are sold at home and abroad, winning the trust and praise of customers. We are committed to becoming a leading brand in the global ceramic vanity top field.



60,000

Company premises covering an area 60,000 square meters.

1,000,000

The annual output is more than 1.5 million.

150

150 employees.


50+

Our products exported to 50 countries in all 5 continents.


PRODUC-
TION

Combining continuous technological innovation with a knowledgeable workforce, we are able to create a high quality product.


Bossun oversees every stage of production with care and dedication. From design and full-scale prototyping to casting, glazing, finishing and quality control, each process is managed entirely in-house. Beneath the apparent simplicity of its products lies a foundation of extensive research, continuous analysis and ongoing investment in cutting-edge technologies. The company's technical department brings together a wide range of expertise, including design, engineering, material chemistry, logistics, marketing and sociology. These disciplines work in harmony to create original, high-performance solutions. Each product reflects a well-balanced blend of industrial innovation and craftsmanship, with the goal of offering beautiful, functional and long-lasting results.



Embryo drying




Research and development



Automatic multi-pointtempe-rature controlcomputer shuttle kilns

High-pressure injection moldingproduction lines



VALUE & PLUS

Higher quality for the innovative enamel applied directly on the ceramic during firing. The surface appears to be perfectly smooth, not allowing dirt and limestone to settle. This ensures durable brilliance, pleasing to the touch, high protection from scratches, abrasions and from external agents. The extreme ease of cleaning also allows the use of a lower consumption of water and detergents, respecting the environment.



cm

ADAPTABILITY

Various sizes of washbasins, suitable for various use environments, including 60, 70, 80, 90, 100, 110 and 120cm

Traditional glaze



Bossun glaze



Water absorption rate ≤ 0.5%



WATERPROOF

Water-repellent:
Water slides fast on the surface.

CLEAN

Easy and quick cleaning.

GREEN

Reduced water consumption and cleaning detergents.

ANTIBACTERIAL

Difficult to breed bacteria on the surface

SMOOTH

The surface is perfectly smooth.

BRIGHT

Greater surface brilliance.

RESISTANCE

Impact, scratch and abrasion resistance.

DURABLE

High resistance to external agents, longer durability.

VANITY TOP

double basins



120F double

Cabinet basin
Size: ***1210×465×180mm***




Diverse series to meet different space needs. From classic basic models to personalized custom styles, covering various sizes and designs, providing one-stop bathroom vanity top solutions for apartments, residences, commercial spaces, etc.





100F


Cabinet basin
Size: ***1010×465×170mm***





90F


Cabinet basin
Size: ***910×465×170mm***





80F


Cabinet basin
Size: ***810×465×170mm***





76F


Cabinet basin
Size: ***760×465×170mm***





70F


Cabinet basin
Size: ***710×465×170mm***





120F


Cabinet basin
Size: ***1210×465×170mm***





60F


Cabinet basin
Size: ***610×465×170mm***





1250F


Cabinet basin
Size: ***1210×500×200mm***





1050F


Cabinet basin
Size: ***1010×500×200mm***





9050F


Cabinet basin
Size: ***910×500×200mm***





8050F


Cabinet basin
Size: ***810×500×200mm***





7050F


Cabinet basin
Size: ***710×500×200mm***





6050F

Cabinet basin
Size: ***610×500×200mm***










120C


Cabinet basin
Size: ***1210×465×170mm***





100C


Cabinet basin
Size: ***1010×465×170mm***





90C


Cabinet basin
Size: ***910×465×170mm***





80C


Cabinet basin
Size: ***810×465×170mm***





76C


Cabinet basin
Size: ***760×465×170mm***





70C


Cabinet basin
Size: ***710×465×170mm***





60C


Cabinet basin
Size: ***610×465×170mm***





1250C


Cabinet basin
Size: ***1210×500×200mm***





1050C


Cabinet basin
Size: ***1010×500×200mm***





9050C


Cabinet basin
Size: ***910×500×200mm***





8050C


Cabinet basin
Size: ***810×500×200mm***





7050C


Cabinet basin
Size: ***710×500×200mm***





6050C

Cabinet basin
Size: ***610×500×200mm***










120E


Cabinet basin
Size: ***1210×465×175mm***





100E


Cabinet basin
Size: ***1010×465×175mm***





90E


Cabinet basin
Size: ***910×465×175mm***





80E


Cabinet basin
Size: ***810×465×175mm***





76E


Cabinet basin
Size: ***760×465×175mm***





70E


Cabinet basin
Size: ***710×465×175mm***





60E


Cabinet basin
Size: ***610×465×175mm***





53E


Cabinet basin
Size: ***540×465×175mm***





50E


Cabinet basin
Size: ***505×465×175mm***





100EL


Cabinet basin
Size: ***1010×465×175mm***





120EL

Cabinet basin
Size: ***1210×465×175mm***










120E double


Cabinet basin
Size: ***1210×465×175mm***





6040


Cabinet basin
Size: ***610×405×175mm***





5040


Cabinet basin
Size: ***505×400×175mm***





6036


Cabinet basin
Size: ***610×360×175mm***





4141

Cabinet basin
Size: ***415×415×175mm***










1170-110


Cabinet basin
Size: ***1105×500×220mm***





1170-100


Cabinet basin
Size: ***1005×500×220mm***





1170-90


Cabinet basin
Size: ***905×500×220mm***





1170-80


Cabinet basin
Size: ***805×500×220mm***





1170-70


Cabinet basin
Size: ***705×500×220mm***





1170-60


Cabinet basin
Size: ***605×500×220mm***





1170-120


Cabinet basin
Size: ***1205×500×220mm***





1170-120 double


Cabinet basin
Size: ***1205×500×220mm***





1170-100 double

Cabinet basin
Size: ***1000×500×220mm***










1170-100D


Cabinet basin
Size: ***1010×500×180mm***





1170-90D


Cabinet basin
Size: ***910×500×180mm***





1170-80D


Cabinet basin
Size: ***810×500×180mm***





1170-120A


Cabinet basin
Size: ***1210×470×210mm***





1170-100A


Cabinet basin
Size: ***1010×470×210mm***





1170-90A


Cabinet basin
Size: ***910×470×210mm***





1170-80A


Cabinet basin
Size: ***810×470×210mm***





1170-70A


Cabinet basin
Size: ***710×470×210mm***





1170-60A

Cabinet basin
Size: ***610×470×210mm***










1170-1040


Cabinet basin
Size: ***1005×400×180mm***





1170-9040


Cabinet basin
Size: ***905×400×180mm***





1170-8040


Cabinet basin
Size: ***805×400×180mm***





1170-7040


Cabinet basin
Size: ***705×400×180mm***





1170-6040


Cabinet basin
Size: ***605×400×180mm***





5080Q-100


Cabinet basin
Size: ***1010×480×215mm***





5080Q-90


Cabinet basin
Size: ***910×480×215mm***





5080Q-80


Cabinet basin
Size: ***810×480×215mm***





5080Q-70


Cabinet basin
Size: ***710×480×215mm***





5080Q-60

Cabinet basin
Size: ***610×480×215mm***










7008-110


Cabinet basin
Size: ***1110×470×210mm***





7008-100


Cabinet basin
Size: ***1010×470×210mm***





7008-90


Cabinet basin
Size: ***905×470×210mm***





7008-80


Cabinet basin
Size: ***805×470×210mm***





7008-70


Cabinet basin
Size: ***705×470×210mm***





7008-120


Cabinet basin
Size: ***1210×470×210mm***





7008-60


Cabinet basin
Size: ***605×470×210mm***





1136-100


Cabinet basin
Size: ***1010×500×190mm***





1136-90


Cabinet basin
Size: ***910×500×190mm***





1136-80

Cabinet basin
Size: ***810×500×190mm***










1135


Cabinet basin
Size: ***1110×470×240mm***





135


Cabinet basin
Size: ***1010×470×240mm***





935


Cabinet basin
Size: ***910×470×240mm***





835


Cabinet basin
Size: ***810×470×240mm***





735


Cabinet basin
Size: ***710×470×240mm***





1235


Cabinet basin
Size: ***1210×470×240mm***





635

Cabinet basin
Size: ***610×470×230mm***








7084


Cabinet basin
Size: ***430×235×150mm***





133


Art basin
Size: ***460×420×155mm***





205


Art basin
Size: ***410×340×145mm***





T-11

Art basin
Size: ***500×395×145mm***





T-26

Art basin
Size: ***385×385×140mm***



TOILET & BIDET

newflush
TORNADO

This technology is an innovative solution. Water pours into the bowl from one hole and in a clockwise swirling motion, flows downwards down under the influence of gravity. It washes very thoroughly the entire interior of the bowl consuming less water than traditional flushing systems. Therefore, it is a convenient solution that reduces the time required to clean the toilet. The process is quiet and effective, and increases the comfort of use.







Bossun Tornado flushing system revolutions the classic image of sanitary ware, leveraging on its «hidden» water outlet.
This results in a unparallel esthetic, minimal and contemporary, with a bowl without any rem or edge, similar to a basin.
The visual beauty evens out the hygiene during use, thanks to absence of any inaccessible area in which germs and bacteria can proliferate.
Hatria PURE VORTEX® is a unique and iconic product.



TORNADO

Tornado flushing system: quieter, more hygienic, cleaner.

AESTHETIC

Hidden flushing-hole design makes the overall shape more complete .

SILENCE

The new flushing way minimizes noise during flushing. only 60 DB.

RIMLESS

Eliminating rim ensures surface continuity, making cleaning easier

SAVE WATER

3/4.5 L water comsuption achieves.
WELS Level 1.

BOSSUN GLAZE

The glaze layer smooths the product It aids anti-fouling and eases cleaning.

GLAZED SIPHON


Glaze covers the pipeline internal make it smooth and improve flushing ability

GREEN

Smooth surface means reduced use of cleaning agents.


ACCESSORIES

TOILET SEATS



MUTE & SLOW DOWN

Slow down mute seat, no noise from clamshell, no knock against ceramic, safe & mute & comfortable.





QUICK DISASSEMBLY AND INSTALL

Equipped with quick disassembly device, the seat cover can be used easily and installed or disassembled quickly & conveniently.

THE WATER SAVING SYSTEM

Bossun's commitment towards sustainability is demonstrated through the Water Saving bathroom equipments, developed and patented to ensure significant water savings at every flush.






A patented flush system that saves up to 70% water.


ADJUSTABLE FLUSH SYSTEM

Designed to facilitate the bathrooms renovations, it allows the installation of a new wc while maintaining the existing drainage system. A brilliant design solution that optimises time and restyling costs.


RAC extension for wall-mounted outlet.




CVT technical bend for adjustable toilet with a 180 mm distance from the wall.



CVTK technical bend for adjustable toilet with a 60 mm to 150 mm distance from the wall.



CVTR technical bend for adjustable toilet with a 160 mm to 220 mm distance from the wall.




LOOP COLLECTION





BS-5012


Two Piece Toilet
Flushing: ***Tornado***
Size: ***630×385×795mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-6012


Floor Standing Toilet
Flushing: ***Tornado***
Size: ***560×360×400mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-7012


Wall-hung Toilet
Flushing: ***Tornado***
Size: ***490×360×360mm***
P-trap: ***180mm***





BS-7013


Wall-hung Toilet
Flushing: ***Tornado***
Size: ***520×360×360mm***
P-trap: ***180mm***





BS-612B


Floor Standing Bidet
Size: ***560×360×400mm***





BS-712B

Wall-hung Bidet
Size: ***490×360×320mm***




LINEAR COLLECTION





BS-5022


Two Piece Toilet
Flushing: ***Tornado***
Size: ***605×370×800mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-5023


Two Piece Toilet
Flushing: ***Tornado***
Size: ***605×370×800mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-6022


Floor Standing Toilet
Flushing: ***Tornado***
Size: ***560×360×400mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-7022


Wall-hung Toilet
Flushing: ***Tornado***
Size: ***520×365×360mm***
P-trap: ***180mm***





BS-622B


Floor Standing Bidet
Size: ***540×375×400mm***





BS-722B

Wall-hung Bidet
Size: ***520×365×300mm***




FRAME COLLECTION





BS-5032


Two Piece Toilet
Flushing: ***Tornado***
Size: ***665×370×820mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-6032


Floor Standing Toilet
Flushing: ***Tornado***
Size: ***560×360×400mm***
P-trap: ***180mm***
S-trap: ***100-250mm***





BS-7032


Wall-hung Toilet
Flushing: ***Tornado***
Size: ***510×360×360mm***
P-trap: ***180mm***





BS-632B


Floor Standing Bidet
Size: ***560×360×400mm***





BS-732B

Wall-hung Bidet
Size: ***520×355×300mm***



Bossun Ceramic | Quality Vanity Tops, Customize Your Ideal Bathroom. For product inquiries, quotes or cooperation, please feel free to contact us!

BOSSUN

Guxiang, Chao'an District, Chaozhou City, Guangdong Province
Bossun Ceramics Factory

TEL: +86 18998741312 E-MAIL: bxcc118@gmail.com
WEB: www.bossun-cn.com